

Quest® QoreStor™ 4.1

Interoperability Guide



© 2018 Quest Software Inc. ALL RIGHTS RESERVED.

This guide contains proprietary information protected by copyright. The software described in this guide is furnished under a software license or nondisclosure agreement. This software may be used or copied only in accordance with the terms of the applicable agreement. No part of this guide may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording for any purpose other than the purchaser's personal use without the written permission of Quest Software Inc.

The information in this document is provided in connection with Quest Software products. No license, express or implied, by estoppel or otherwise, to any intellectual property right is granted by this document or in connection with the sale of Quest Software products. EXCEPT AS SET FORTH IN THE TERMS AND CONDITIONS AS SPECIFIED IN THE LICENSE AGREEMENT FOR THIS PRODUCT, QUEST SOFTWARE ASSUMES NO LIABILITY WHATSOEVER AND DISCLAIMS ANY EXPRESS, IMPLIED OR STATUTORY WARRANTY RELATING TO ITS PRODUCTS INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. IN NO EVENT SHALL QUEST SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, CONSEQUENTIAL, PUNITIVE, SPECIAL OR INCIDENTAL DAMAGES (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF PROFITS, BUSINESS INTERRUPTION OR LOSS OF INFORMATION) ARISING OUT OF THE USE OR INABILITY TO USE THIS DOCUMENT, EVEN IF QUEST SOFTWARE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. Quest Software makes no representations or warranties with respect to the accuracy or completeness of the contents of this document and reserves the right to make changes to specifications and product descriptions at any time without notice. Quest Software does not make any commitment to update the information contained in this document.

If you have any questions regarding your potential use of this material, contact:

Quest Software Inc.

Attn: LEGAL Dept

4 Polaris Way

Aliso Viejo, CA 92656

Refer to our Web site (<https://www.quest.com>) for regional and international office information.

Patents


Quest Software is proud of our advanced technology. Patents and pending patents may apply to this product. For the most current information about applicable patents for this product, please visit our website at <https://www.quest.com/legal>.

Trademarks

Quest, the Quest logo, and Join the Innovation are trademarks and registered trademarks of Quest Software Inc. For a complete list of Quest marks, visit <https://www.quest.com/legal/trademark-information.aspx>. All other trademarks and registered trademarks are property of their respective owners.

Legend

 **CAUTION:** A CAUTION icon indicates potential damage to hardware or loss of data if instructions are not followed.

 **IMPORTANT, NOTE, TIP, MOBILE, or VIDEO:** An information icon indicates supporting information.

Contents

Introduction	4
Other information you may need	4
Information on compatible products	5
Installation Requirements	6
QoreStor installation modes	6
Hardware requirements for installation	6
Networking requirements	7
Port configuration	7
Verify connectivity	7
Storage requirements and recommendations	8
Supported installation platforms	8
Supported file systems	8
Supported file system protocols	8
Supported Software	9
Supported browsers	9
Supported clients	9
Supported backup software	10
NetVault Backup and vRanger Feature Compatibility	11
Reference architectures	12
Reference guidelines	12
Hardware references	12
About us	16
Contacting Quest	16
Technical support resources	16

Introduction

This guide provides information about hardware and software requirements for Quest® QoreStor™ installation, as well as additional third-party software applications supported for use with QoreStor.

Other information you may need

The following table lists the documentation available for QoreStor. The documents listed in this table are available on the Quest support website by selecting your specific QoreStor version at:

<http://support.quest.com/QoreStor>

Table 1: QoreStor documentation

Document	Description
QoreStor Installation Guide	Provides information on installation and operation requirements, supported platforms as well as procedures for installing QoreStor.
QoreStor User Guide	Provides information on configuring and using QoreStor.
QoreStor Release Notes	Provides the latest information about new features and known issues with a specific product release.
QoreStor Command Line Reference Guide	Provides information about managing QoreStor data backup and replication operations using the QoreStor command line interface (CLI).
QoreStor Interoperability Guide	Provides information on supported infrastructure components.
Additional whitepapers	Instructions and best practices for configuring additional Quest and third-party applications to work with QoreStor.

i **NOTE:** Check for the latest documentation updates and release notes at <http://support.quest.com/QoreStor>. Read the release notes first because they contain the most recently documented information about known issues with a specific product release.

Information on compatible products

QoreStor offers direct integration with Quest Software's NetVault® Backup and vRanger. For more information on those products refer to the documents below.

Table 2: NetVault Backup documentation

Document	Description
NetVault Backup Installation Guide	Provides information about installing and upgrading the NetVault Backup server and client software.
NetVault Backup Administration Guide	Describes how to configure and use NetVault Backup to protect your data. This document also provides information on configuring QoreStor repositories and migrating NetVault SmartDisk data to the new QoreStor repository.
NetVault Backup Release Notes	Provides the latest information about new features and known issues with a specific product release.

i | **NOTE:** See the complete NetVault Backup documentation at <https://support.quest.com/netvault-backup>.

Table 3: vRanger documentation

Document	Description
vRanger Installation/Upgrade Guide	This document provides information on supported platforms, system requirements, and instructions on installing and upgrading vRanger.
vRanger User Guide	This document provides information and procedures on configuring and using vRanger to protect virtual and physical environments.
vRanger Release Notes	This document details the issues resolved in this release, the known issues as of this release, and the third party components in vRanger.

i | **NOTE:** See the complete vRanger documentation at <https://support.quest.com/vranger>.

Installation Requirements

The information in this section describes the minimum hardware and software requirements for QoreStor installation.

QoreStor installation modes

QoreStor can be installed in one of three installation modes, each with different hardware requirements and expected performance levels.

- **Standard** - This the mode of installation that will yield the highest performance. Unless you know that Cloud Optimized or Demo mode is appropriate for your use-case, use Standard mode to avoid performance issues. Standard mode supports a back end capacity of up to 150TB.
- **Cloud Optimized** - This is a smaller footprint installation designed to maximize cost-effectiveness for operation in cloud environments. The data dictionary size is reduced to reflect the lower backend capacity limit of 43TB.
- **Demo** - Demo mode is the least hardware-intensive option used for initial evaluation or lightweight testing. Demo mode can easily be installed on a virtual machine running on most workstations. Demo mode is not suitable for any production application. Demo mode supports a back end capacity of up to 100GB.

Hardware requirements for installation

QoreStor can be installed in one of three modes: Standard, Cloud Optimized, and Demo. Each installation mode has different minimum installation requirements, as described below. Refer to [QoreStor installation modes](#) for more information on the installation modes.

i | **NOTE:** The table below lists the minimum hardware requirements for installation. Refer to [QoreStor sizing guidelines](#) for information on sizing your QoreStor server.

Table 4: Hardware requirements for installation

	Standard Mode	Cloud Optimized Mode	Demo Mode
CPU cores	4	4	4
RAM	24 GB	14 GB	4 GB
Storage capacity	Minimum of 500 GB free space on repository disk	Minimum of 500 GB free space on repository disk	Minimum of 50 GB free space on repository disk
Additional storage requirements	<ul style="list-style-type: none">• Storage backend should support 2000 IOPS for sequential writes and 850 IOPS with random writes.• Recommended backend configuration is RAID 6 with 6 disks. 4 of these disks will be usable.• Maximum supported physical capacity is 150TB	<ul style="list-style-type: none">• Storage backend should support 2000 IOPS for sequential writes and 850 IOPS with random writes.• Recommended backend configuration is RAID 6 with 6 disks. 4 of these disks will be usable.• Maximum supported physical capacity is 43TB	When installing in Demo mode, QoreStor does not perform a pre-check for IOPS

Networking requirements

The following network configurations need to be made in order to successfully install and run QoreStor.

Port configuration

The ports below need to be available for the QoreStor service:

- 5233
- 9901
- 9904
- 9911
- 9920
- 11000
- 10011

Verify connectivity

The usage of the QoreStor repository requires stable TCP/IP connectivity between the backup application server and the QoreStor repository server.

i | **NOTE:** The QoreStor repository and backup application server need to be on the same local network.

Storage requirements and recommendations

Consider these additional storage requirements and recommendations when planning your QoreStor installation.

- Storage backend should support 2000 IOPS for sequential writes and 850 IOPS with random writes.
- Recommended backend configuration is RAID 6 with 6 disks. 4 of these disks will be usable.
- Maximum supported physical capacity is 150TB

Supported installation platforms

QoreStor is supported on the following platforms:

Table 5: Operating systems supported for installation

Operating System	Bit level
CentOS Linux 7.3 or higher	64-bit
RHEL Linux 7.3 or higher	64-bit

Supported file systems

Only the file system listed below is supported for the QoreStor server.

- XFS

Supported file system protocols

QoreStor supports the following file system protocols. The Rapid Data Access (RDA) protocols below provide a logical disk interface that can be used with network storage devices to store data and support data storage operation.

- RDA with NetVault Backup
- RDA with vRanger
- RDA with OpenStorage Technology (OST)

Supported Software

The applications listed in the sections below are supported for use with QoreStor

Supported browsers

This section lists the minimum supported web browsers for use with the QoreStor UI.

Table 6: Supported browsers

Software	Versions
Mozilla Firefox	43 or later
Microsoft Internet Explorer	11.0
Microsoft Edge	38 or later
Google Chrome	48 or later

Supported clients

Delete this text and replace it with your own content.

Table 7: Supported QoreStor clients

Client type	Version	Client installation platform
-------------	---------	------------------------------

- | | | |
|-----|--|--|
| RDA | <ul style="list-style-type: none"> • 4.0.3 • 4.1 | <ul style="list-style-type: none"> • Linux <ul style="list-style-type: none"> • RHEL 5 (64-bit version only) • RHEL 6 • RHEL 7 • CentOS 7 • Windows <ul style="list-style-type: none"> • Windows Server 2008 R2 • Windows Server 2012 R2 • Windows Server 2016 • Solaris <ul style="list-style-type: none"> • Solaris 10 SPARC • Solaris 10 Intel |
|-----|--|--|

-
- | | | |
|-----|---|--|
| OST | <ul style="list-style-type: none"> • 4.1 | <ul style="list-style-type: none"> • Linux <ul style="list-style-type: none"> • RHEL 5 (64-bit version only) • RHEL 6 • RHEL 7 • CentOS 7 • Windows <ul style="list-style-type: none"> • Windows Server 2008 R2 • Windows Server 2012 R2 • Windows Server 2016 • Solaris <ul style="list-style-type: none"> • Solaris 10 SPARC • Solaris 10 Intel |
|-----|---|--|

Supported backup software

This section lists the supported backup applications and protocols for QoreStor.

Table 8: Supported backup applications and protocols

Data Management Application (DMA)	RDA	OST
NetVault Backup1		
v11.4.5	✓	
v12.0	✓	
v12.0.1	✓	

Data Management Application (DMA)	RDA	OST
vRanger¹		
v7.4	✓	
v7.6	✓	
v7.6.5	✓	
Backup Exec		
BE16		✓
BE20		✓
NetBackup		
v7.6		✓
v7.7		✓
v8.0		✓

¹Refer to [NetVault Backup and vRanger Feature Compatibility](#) for more detailed information on NetVault Backup Support

NetVault Backup and vRanger Feature Compatibility

The table below provides more detailed information on NetVault Backup and vRanger feature compatibility with QoreStor.

Table 9: NetVault Backup and vRanger feature comatibility

Feature	NVBU 11.4.5	NVBU 12.0	NVBU 12.0.1	vRanger 7.5	vRanger 7.6	vRanger 7.7 (expected July 2018)
RDA Version	4.03	4.03	4.1	4.03	4.03	4.1
Secure Connect WAN restartability	No	No	Yes	No	No	Yes
Create storage groups and containers from DMA	No	No	Yes	No	No	No
OpDup DR to QoreStor	Yes	Yes	Yes	Yes	Yes	Yes
OpDup QoreStor to DR	Yes	Yes	Yes	Yes	Yes	Yes (w/ DRv4.0.3203.1b)

Reference architectures

The information in the sections below is intended to help you properly size your QoreStor server.

Reference guidelines

The specifications detailed in [Hardware references](#) were constructed with the performance guidelines listed below in mind. Please review the performance guidelines below and select an option suitable for your environment. Use that same reference in the [Hardware references](#) section to identify the representative reference architecture.

Table 10: Reference guidelines

Reference Guidelines	CPU (cores)	Memory (GB)	NIC Minimum	IO Minimums		Inbound bandwidth	
				SSD Support	IOPS BW		
Extreme	32-64	128+	4 x 10GbE	Required	IOPs = 100K+ BW = 700MiB/Sec	RAID6 48+	Ingest Rate Max @ 90% deduplication rate 30+ TB/HR
Enterprise	32-64	64-128	2x 10GbE	Optional	IOPs = 20K+ BW = 300MiB/Sec	RAID6 24-48	20 TB/HR
Standard	8-32	32-64	2x 10GbE	Optional	IOPs = 10K+ BW = 200MiB/Sec	RAID6 8-12	10 TB/HR
Starter	4-8	24-32	4+ x 1GbE	NA	IOPs = 5K+ BW = 100MiB/Sec	RAID5-6 4-8	5 TB/HR

Hardware references

The table below provides reference architectures for different levels of performance. Two of the examples below use SSD storage to host the QoreStor metadata, which will improve QoreStor performance.

Table 11: Hardware references

Hardware references	Extreme	Enterprise	Standard	Starter
	R740-05 – HDD/SSD MetaData	R740-05 – ALL HDD	R730-10 – HDD/SSD MetaData	R730-10 – ALL HDD
Model	Dell EMC OEMR XL R740xd	Dell EMC OEMR XL R740xd	Dell EMC PowerEdge R730xd	Dell EMC PowerEdge R730xd
Drives	2TB 7.2K RPM NLSAS 12Gbps 512n 8TB 7.2K RPM NLSAS 12Gbps 512e	2TB 7.2K RPM NLSAS 12Gbps 512n 8TB 7.2K RPM NLSAS 12Gbps 512e	500GB 7.2K RPM SATA 6Gbps 2.5i n Flex Bay Hard Drive,13G 6TB 7.2K RPM Self-Encrypting N LSAS 6Gbps 3.5in Hot-plug Hard Drive,FIPS140-2,13G 8TB 7.2K RPM Self-Encrypting N LSAS 6Gbps 3.5in Hot-plug Hard Drive,FIPS140-2,13G	500GB 7.2K RPM SATA 6Gbps 2.5i n Flex Bay Hard Drive,13G 6TB 7.2K RPM Self-Encrypting N LSAS 6Gbps 3.5in Hot-plug Hard Drive,FIPS140-2,13G 8TB 7.2K RPM Self-Encrypting N LSAS 6Gbps 3.5in Hot-plug Hard Drive,FIPS140-2,13G
Drive Qty	2 x 2TB 48 x 8TB 4 x 400GB SSD	2 x 2TB INT 48 x 8TB EXT	2 x 500GB 24 x 8TB 24 x 6TB 4 x 960GB SSD	2 x 500GB 24 x 8TB 24 x 6TB
Internal SSD (optional)	4x 400GB SSD SAS Mix Use 12Gbps 512e 2.5in MFC6G Dell 400GB Enterprise SAS 12GBps 2.5" Solid State Drive		4x 960GB SSD SAS Mix Use 12Gbps 512e 2.5in Dell 960Gb SAS 12G MLC SFF Mixed-Use Value Endurance SSD (Toshiba PX04SVB096) R/T-Series Tray - SPN - Gen 13	
CPU	2x Intel Xeon Gold 5118 2.3G, 1 2C/24T, 10.4GT/s 2UPI, 16M Cac he, Turbo, HT (105W) DDR4-2400 , OEM XL	2x Intel Xeon Gold 5118 2.3G, 1 2C/24T, 10.4GT/s 2UPI, 16M Cac he, Turbo, HT (105W) DDR4-2400 , OEM XL	2x Intel Xeon E5-2660 v3 2.6GHz,2 5M Cache,9.60GT/s QPI,Turbo,HT ,10C/20T (105W) Max Mem 2133MHz	2x Intel Xeon E5-2660 v3 2.6GHz,2 5M Cache,9.60GT/s QPI,Turbo,HT ,10C/20T (105W) Max Mem 2133MHz
Memory	208GB	208GB	128GB	128GB

	13 x DUAL IN-LINE MEMORY MODULE, 16GB, 2666, 2RX8, 8G, DDR4, R	13 x DUAL IN-LINE MEMORY MODULE, 16GB, 2666, 2RX8, 8G, DDR4, R	8x 16GB RDIMM, 2400MT/s, Dual Rank, x8 Data Width	8x 16GB RDIMM, 2400MT/s, Dual Rank, x8 Data Width
PERC RAID	1x PERC H740P RAID Controller, 8GB NV Cache, Mini card 1x PERC H840 RAID Adapter for External MD14XX Only, 8GB NV Cache, Full Height	1x PERC H740P RAID Controller, 8GB NV Cache, Mini card 1x PERC H840 RAID Adapter for External MD14XX Only, 8GB NV Cache, Full Height	1x PERC H730P RAID Controller, 2GB NV Cache, Mini card 1x PERC H830 RAID Adapter for External MD14XX Only, 2GB NV Cache, Full Height	1x PERC H730P RAID Controller, 2GB NV Cache, Mini card 1x PERC H830 RAID Adapter for External MD14XX Only, 2GB NV Cache, Full Height
Network	1x QLogic 57800 2x10Gb DA/SFP+ + 2x1Gb BT Network Daughter Card	1x QLogic 57800 2x10Gb DA/SFP+ + 2x1Gb BT Network Daughter Card	1x QLogic 57840S Quad Port 10Gb SFP+ Direct Attach Rack Network Daughter Card	1x QLogic 57840S Quad Port 10Gb SFP+ Direct Attach Rack Network Daughter Card
External Storage	4x1400	4x1400	4x1400	4x1400
HW RAID CONFIG <Level (0-5-6-10)> : <# Groups (GRP)> : <# Spindles per GRP> : <#Channels> :	RAID 10 : 1 : 4 : 1 RAID 6 : 4 : 11+1 : 2	RAID 6 : 4 : 11+1 : 2	RAID 10 : 1 : 4 : 1 RAID 6 : 4 : 11+1 : 2	RAID 6 : 4 : 11+1 : 2
LVM CONFIG	Striped LVM :: 64KB :: 4xStripes	Striped LVM :: 64KB :: 4xStripes	Striped LVM :: 64KB :: 4xStripes	Striped LVM :: 64KB :: 4xStripes
FS CONFIG	XFS	XFS	XFS	XFS
SEQ FIO A + B	IOPS=98.5 K/Sec + 18.2 K/Sec BW=385 MiB/Sec + 71.1 MiB/Sec	IOPS=105 K/Sec BW=412 MiB/Sec	IOPS=50.5 K/Sec + 37.3 K/Sec BW= 197 MiB/Sec + 146 MiB/Sec	IOPS=12.2 K/Sec BW= 48 MiB/Sec
RAND FIO	IOPS=95.7 K/Sec + 39 K/Sec BW=374 MiB/Sec + 152 MiB/Sec	IOPS=91.7K/Sec BW=358 MiB/Sec	IOPS= 12.6 K/Sec + 44.2 K/Sec BW= 49 MiB/Sec + 173 MiB/Sec	IOPS=21 K/Sec BW= 85 MiB/Sec
MAX INGEST @ 0%	Total Connections :: TB/Hr	Total Connections :: TB/Hr	Total Connections :: TB/Hr	Total Connections :: TB/Hr

8 :: 9.48	8 :: 9.00	8 :: 4.37	8 :: 3.85
16 :: 8.58	16 :: 8.52	16 :: 4.13	16 :: 3.91
24 :: 7.32	24 :: 8.00	24 :: 4.11	24 :: 3.82
32 :: 6.98	32 :: 7.02	32 :: 4.09	32 :: 3.76
48 :: 7.00	48 :: 4.31	48 :: 4.01	48 :: 2.84
64 :: 4.71	64 :: 3.25	64 :: 3.92	64 :: 2.94

**MAX
INGEST @
90%**

Total Connections :: TB/Hr	Total Connections :: TB/Hr	Total Connections :: TB/Hr	Total Connections :: TB/Hr
8 :: 37.34	8 :: 31.41	8 :: 23.56	8 :: 20.83
16 :: 19.40	16 :: 18.94	16 :: 19.70	16 :: 17.36
24 :: 16.73	24 :: 16.05	24 :: 17.11	24 :: 14.41
32 :: 13.77	32 :: 14.53	32 :: 15.83	32 :: 14.26
48 :: 12.03	48 :: 13.82	48 :: 13.73	48 :: 13.33
64 :: 11.96	64 :: 12.96	64 :: 13.49	64 :: 10.26

We are more than just a name

We are on a quest to make your information technology work harder for you. That is why we build community-driven software solutions that help you spend less time on IT administration and more time on business innovation. We help you modernize your data center, get you to the cloud quicker and provide the expertise, security and accessibility you need to grow your data-driven business. Combined with Quest's invitation to the global community to be a part of its innovation, and our firm commitment to ensuring customer satisfaction, we continue to deliver solutions that have a real impact on our customers today and leave a legacy we are proud of. We are challenging the status quo by transforming into a new software company. And as your partner, we work tirelessly to make sure your information technology is designed for you and by you. This is our mission, and we are in this together. Welcome to a new Quest. You are invited to Join the Innovation™.

Our brand, our vision. Together.

Our logo reflects our story: innovation, community and support. An important part of this story begins with the letter Q. It is a perfect circle, representing our commitment to technological precision and strength. The space in the Q itself symbolizes our need to add the missing piece — you — to the community, to the new Quest.

Contacting Quest

For sales or other inquiries, visit www.quest.com/contact.

Technical support resources

Technical support is available to Quest customers with a valid maintenance contract and customers who have trial versions. You can access the Quest Support Portal at <https://support.quest.com>.

The Support Portal provides self-help tools you can use to solve problems quickly and independently, 24 hours a day, 365 days a year. The Support Portal enables you to:

- Submit and manage a Service Request
- View Knowledge Base articles
- Sign up for product notifications
- Download software and technical documentation
- View how-to-videos
- Engage in community discussions
- Chat with support engineers online
- View services to assist you with your product